

Implant Level Impression

Healing abutment

	NC				RC		
S	conical		bottle shape		conical		bottle shape
D	3.6 mm	4.8 mm	3.3 mm		4.5 mm	6.0 mm	4.4/4.7 mm
2.0 mm	024.2222	024.2242	–	2.0 mm	024.4222	024.4242	–
H 3.5 mm	024.2224	024.2244	024.2234	4.0 mm	024.4224	024.4244	024.4234
5.0 mm	024.2226	024.2246	024.2236	6.0 mm	024.4226	024.4246	024.4236

Impression post

		NC	RC
System	closed tray	025.2201	025.4201
	open tray	025.2202	025.4202

Anatomic

PLAN abutment

	NC		RC	
⊕	0°	15°	0°	15°
GH 2.0 mm	025.2601-04	025.2603-04	025.4601-04	025.4603-04
3.5 mm	025.2602-04	025.2604-04	025.4602-04	025.4604-04

Meso

Abutment*

	NC	RC
	022.2202	022.4202

Gold

PLAN abutment

	NC	RC
Crown	025.2610-04	025.4610-04
Bridge	–	025.4630-04

Abutment*

	NC		RC	
⊕	0°	15°	0°	15°
GH 2.0 mm	022.2102	022.2152	022.4102	022.4152
3.5 mm	022.2104	022.2154	022.4104	022.4154

Abutment*

	NC	RC
Crown	022.2410	022.4410
Bridge	–	022.4430

Basal screw
(replacement)

	NC	RC
	025.2900	025.4900

Basal screw
(replacement)

	NC	RC
	025.2900	025.4900

Basal screw
(replacement)

	NC	RC
Crown	025.2900	025.4900
Bridge	–	025.4902

⊕ = CrossFit™ Connection NC = Narrow CrossFit™ RC = Regular CrossFit™ S = Shape D = Diameter ⋈ = Angulation

L = Length H = Height GH = Gingiva Height AH = Abutment Height *Basal Screw included **Occlusal Screw included -04 = Pack of 4

STRAUMANN® BONE LEVEL IMPLANT

Customizable
healing abutment



	NC	RC
	024.2270	024.4270

Temporary
abutment




	NC	RC
	024.2370	024.4370

Implant analog



	NC	RC
	025.2101	025.4101

Bite registration
aid



	NC	RC
H 8.0 mm	025.2208-04	025.4208-04
H 12.0 mm	025.2212-04	025.4212-04

Customized

Bar

Abutment*



	NC	RC
Ti	order at: http://cares.straumann.com	
ZrO ₂		

Abutment*



	NC	RC
Gold	022.2701	022.4701
Ti	022.2702	022.4702

Auxiliaries
(replacement),
for customized
abutment



	NC	RC
Wax up sleeve, for single use	025.2903 025.2903-04	025.4903 025.4903-04
Basal screw (for titanium)	025.2900	025.4900
Basal screw (for ceramic)	025.2906	025.4906

Basal screw
(replacement)



	NC	RC
	025.2900	025.4900

Abutment Level Impression

Impression taking on implant level possible (see left)

LOCATOR®
Impression Coping



	NC	RC
	048.197V4	


LOCATOR® analog



	NC	RC
	025.0120-04	


LOCATOR®

PLAN abutment



	NC	RC
H 1.0 mm	–	025.4641-04
2.0 mm	025.2642-04	025.4642-04
3.0 mm	025.2643-04	025.4643-04
4.0 mm	025.2644-04	025.4644-04
5.0 mm	025.2645-04	025.4645-04
6.0 mm	025.2646-04	025.4646-04

Abutment



	NC	RC
H 1.0 mm	–	022.4501
2.0 mm	022.2502	022.4502
3.0 mm	022.2503	022.4503
4.0 mm	022.2504	022.4504
5.0 mm	022.2505	022.4505
6.0 mm	022.2506	022.4506

Auxiliaries,
for LOCATOR®
abutment



	NC	RC
Male processing package	048.189V2	
Replacement male	048.190V4–048.194V4	

Complete LOCATOR® part list in product catalog

LOCATOR® is a registered trademark of Zest Anchors, Inc.

Abutment Level Impression

Impression taking on implant level possible (see left)

Protective cap




		NC		RC	
D		3.5 mm	5.0 mm	5.0 mm	6.5 mm
H	4.0 mm	024.2312-04	024.2322-04	024.4322-04	024.4332-04
	5.5 mm	–	024.2326-04	024.4326-04	024.4336-04

Temporary coping



		NC		RC	
D		3.5 mm	5.0 mm	5.0 mm	6.5 mm
AH	4.0 mm	024.2346	024.2356	024.4356	024.4366
	5.5 mm				

Impression cap



		NC	NC	RC	RC
D		3.5 mm	5.0 mm	5.0 mm	6.5 mm
AH	4.0 mm	code ■■■	025.2203-04	025.2204-04	025.4203-04
	5.5 mm	code □	–	025.2220-04	025.4220-04

Implant analog



		NC	NC	RC	RC
D		3.5 mm	5.0 mm	5.0 mm	6.5 mm
AH	4.0 mm	code ■■■	025.2112	025.2122	025.4132
	5.5 mm	code □	–	025.2126	025.4136

Cementable

PLAN abutment



		NC		RC	
D		3.5 mm	5.0 mm	5.0 mm	6.5 mm
4.0 mm	GH	1.0 mm	025.2611-04	025.2621-04	025.4621-04
		2.0 mm	025.2612-04	025.2622-04	025.4622-04
		3.0 mm	025.2613-04	025.2623-04	025.4623-04
5.5 mm	GH	1.0 mm	–	025.2625-04	025.4625-04
		2.0 mm	–	025.2626-04	025.4626-04
		3.0 mm	–	025.2627-04	025.4627-04

Abutment*



		NC	NC	RC	RC
D		3.5 mm	5.0 mm	5.0 mm	6.5 mm
4.0 mm	code ■■■	1.0 mm	022.2311	022.2321	022.4321
		2.0 mm	022.2312	022.2322	022.4322
		3.0 mm	022.2313	022.2323	022.4323
5.5 mm	code □	1.0 mm	–	022.2325	022.4325
		2.0 mm	–	022.2326	022.4326
		3.0 mm	–	022.2327	022.4327

Coping



		NC		RC	
D		3.5 mm	5.0 mm	5.0 mm	6.5 mm
Crown		023.2316	023.2326	023.4326	023.4336
Bridge		023.2310	023.2320	023.4320	023.4330

Basal screw
(replacement)



	NC	RC
	025.2908	025.4908

Transfer aid



		NC		RC	
D		3.5 mm	5.0 mm	5.0 mm	6.5 mm
		025.2911-04	025.2912-04	025.4912-04	025.4913-04

Abutment Level Impression

Impression taking on implant level possible (see left)

Protective cap**



	NC			RC		
⌘	0°	0°	25°	0°	0°	25°
D	3.5 mm	4.5 mm	4.0 mm	4.5 mm	6.5 mm	4.0 mm
	024.2331-04	024.2341-04	024.2306-04	024.4341-04	024.4361-04	024.4306-04

Temporary coping**



	NC			RC		
⌘	0°	0°	25°	0°	0°	25°
D	3.5 mm	4.5 mm	4.0 mm	4.5 mm	6.5 mm	4.0 mm
	024.2332	024.2342	024.2307	024.4342	024.4362	024.4307

Impression cap/post



	NC	NC	NC	RC	RC	RC
⌘	0°	0°	25°	0°	0°	25°
D	3.5 mm	4.5 mm	4.0 mm	4.5 mm	6.5 mm	4.0 mm
Post	025.2232	025.2242	025.2206	025.4242	025.4262	025.4206
Cap	025.2231-04	025.2241-04	–	025.4241-04	025.4261-04	–

Implant analog



	NC	NC	NC	RC	RC	RC
⌘	0°	0°	25°	0°	0°	25°
D	3.5 mm	4.5 mm	4.0 mm	4.5 mm	6.5 mm	4.0 mm
	025.2131	025.2141	025.2106	025.4141	025.4161	025.4106

Multi-Base

PLAN abutment



⊕	NC	NC	NC		RC	RC	RC		
⊘	0°	0°	25°		0°	0°	25°		
D	3.5 mm	4.5 mm	4.0 mm		4.5 mm	6.5 mm	4.0 mm		
GH	1.0 mm	025.2651-04	025.2656-04	Type A	025.2662-04	025.4651-04	025.4656-04	Type A	025.4662-04
	2.5 mm	025.2652-04	025.2657-04	Type B	025.2665-04	025.4652-04	025.4657-04	Type B	025.4665-04
	4.0 mm	025.2654-04	025.2659-04			025.4654-04	025.4659-04		

Abutment*



⊕	NC	NC	NC		RC	RC	RC		
⊘	0°	0°	25°		0°	0°	25°		
D	3.5 mm	4.5 mm	4.0 mm		4.5 mm	6.5 mm	4.0 mm		
GH	1.0 mm	022.2731	022.2741	Type A	022.2782	022.4741	022.4761	Type A	022.4782
	2.5 mm	022.2732	022.2742	Type B	022.2786	022.4742	022.4762	Type B	022.4786
	4.0 mm	022.2734	022.2744			022.4744	022.4764		

Coping**





		NC			RC		
		0°	0°	25°	0°	0°	25°
D		3.5 mm	4.5 mm	4.0 mm	4.5 mm	6.5 mm	4.0 mm
Bridge	Gold	023.2731	023.2741	023.2701	023.4741	023.4761	023.4701
	Polymer	023.2734	023.2744	023.2704	023.4744	023.4764	023.4704
Bar	Gold	023.2732	023.2742	023.2702	023.4742	023.4762	023.4702
	Ti	023.2736	023.2746	023.2706	023.4746	023.4766	023.4706


Occlusal screw,
for coping on
Multi-Base
Abutment
(replacement)



⌘	NC/RC
⌘	025.0900-04



CONFIDENCE AT ANY LEVEL



www.straumann.com



STRAUMANN GUARANTEE

International Headquarters

Institut Straumann AG
Peter Merian-Weg 12
CH-4002 Basel, Switzerland
Phone +41 (0)61 965 11 11
Fax +41 (0)61 965 11 01

North American Distributors

Straumann USA, LLC
60 Minuteman Road
Andover, MA 01810
Phone 800/448 8168
978/747 2500
Fax 978/747 2490
www.straumannusa.com

Straumann Canada Limited
4145 North Service Road, Suite 303
Burlington, ON L7L 6A3
Phone 800/363 4024
905/319 2900
Fax 905/319 2911
www.straumann.ca

STRAUMANN® BONE LEVEL IMPLANT **PROSTHETIC OPTIONS CHART**





Temporary Abutment
Individual esthetics
easy to achieve



**Gold Abutment
for crown**



**Gold Abutment
for bridge**

Versatile solution for a wide range of indications



NC new



Customized Abutment
Straumann customized implant prosthetics



NC new

Anatomic Abutment
Individual esthetics
easy to achieve



NC new

Cementable Abutment
Prosthetic handling closest to
a natural tooth prep



Abutment for Bars
User-friendly solution for bar
retained dentures



NC & RC new

Multi-Base Abutment
Flexible base for screw-
retained multiple-unit
restorations



LOCATOR® Abutment
Flexible fixation of full
dentures

Single crown



Screw-retained



Gold Abutment, for crown



CAD/CAM Customized Ceramic
Abutment

Cement-retained



Anatomic Abutment



Meso Abutment



Gold Abutment, for crown



CAD/CAM Customized Ceramic
Abutment



CAD/CAM Customized Titanium
Abutment



Cementable Abutment